

FIG. 1

1/4








FIG. 2

**FIG. 3****FIG. 4****FIG. 5****FIG. 6**




FIG. 7




FIG. 8




FIG. 9






FIG. 10





61

**FIG. 11****FIG. 12**

| SCHEME | BITS REQUIRED IF ALL INFORMATION IS SIGNED PRIOR | PRIOR SIGNED INFORMATION | POST SIGNED INFORMATION |
|--|---|--------------------------|-------------------------|
| SCHEME 1, CONSECUTIVE CODES | 96 | 16 | 80 |
| SCHEME 2, COMMON CONSECUTIVE CODES | 20 | 16 OR 13 | 10 |
| SCHEME 3, COMMON CONSECUTIVE CODES IN CONSECUTIVE TIMESLOTS | 16 | 13 | 4 |
| SCHEME 4, ENTIRE TIMESLOT WITH TIMESLOT FLEXIBILITY | 12 (16 IF FOUR BITS ARE NEEDED TO INDICATE THE MAXIMUM NUMBER OF CODES) | 8 OR 5 | 12 OR 9 |
| SCHEME 5, ENTIRE CONSECUTIVE TIMESLOTS WITH TIMESLOT FLEXIBILITY | 8 (12 IF FOUR BITS ARE NEEDED TO INDICATE THE MAXIMUM NUMBER OF CODES) | 5 OR 9 | 4 |

FIG. 13